

Ultra Compact Multi Purpose Sound System **TSNano**



Ultra kompaktes Lautsprechersystem für die hochwertige Übertragung von Sprache und Musik auf kleinen und mittleren Distanzen. Ihre gute Sprachverständlichkeit und hohe Leistungsfähigkeit macht die TSNano besonders für anspruchsvolle Festinstallationen und den Industriebereich interessant.

PRODUCT SPECIFICATIONS

Speaker Components	6,5" / 1"
Description	Multi Purpose Sound System
Power AES / Peak	200 W / 600 W
Impedance nominal	16 Ω
SPL 1 W / Peak @ 1 m	93 dB / 119 dB
Usable Range	80 Hz - 18 kHz (-10 dB)
Tuning Frequency excursion minimum	95 Hz
X - Overpoint acoustical	2,2 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Max. Splay Angle	---
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	---
Rigging / Fittings	6 x M10
Weight	6 kg
Size height x width x depth	33,9 x 19,4 x 19,4 cm
Order No.	00985/II




Die große Baßreflexöffnung sorgt, trotz der geringen Größe der TSNano, für eine kräftige Baßwiedergabe.



Anschlussfeld.




DIMENSIONS



Controller Setups:


<https://www.seeburg.com/de/downloads>

Sensitivity 1 W @ 1 m + Impedance




COVERAGE PATTERNS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical



Flying Bracket



for TSNano,
incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle
lobe knob and rubber washers)
Order No. **01212/set**

Flying Bracket



for TSNano / A 1,
horizontal alignment,
incl. screws (per unit: 2 pcs. M10 x 20
socket head screws, spring- and rubber
washers)
Order No. **01210/H/set**

Flying J-Bracket



for TSNano / A 1
horizontal and vertical alignment,
incl. screws
(per unit: 1 pcs. M10 x 20 adjustable
handle screws and flat)
Order No. **01212/J/set**

Flange



35 mm Ø → M10,
Order No. **08126**

Truss Clamp



incl. M10 Adapter,
max. load 15 kg
Order No. **01221**

Flange



with ball and socket joint,
with additional locking screw,
M10 x 15, max. load 15 kg
Order No. **08125**

Handle Screw



for flying brackets,
adjustable
M10 x 20
Order No. **08375/20**

Ergostyle Lobe Knob



for flying brackets,
M10 x 20,
with grip, adjustable
Order No. **08171**


Rubber Washer



for flying brackets,
40 mm
Order No. **01205**



Flange -> Trigger Clamp



Flying Bracket, vertical



Flying Bracket, horizontal



Flying J-Bracket, horizontal



Wall Mount (08131)

ACCESSORIES TSNano

Doughty Quick Trigger Clamp



max. load 250 kg
Order No. **01223/250 kg**

Ring Screw



M10– DIN 580
Order No. **73700**

TV Spigot



10 mm internal thread,
28 mm Ø
Order No. **08128**

Wall Mount



M10, max. load 15 kg, with stargrip
Order No. **08131**
Order No. **08131/W** (white)

For permanent installation,
incl. tilt angle stop
Order No. **08131/F**
Order No. **08131/F/W** (white)

Base Plate, Round



M20, K&M,
ø 450 mm, height: 21 mm
black zinc die-cast, felt strips on
the bottom, weight: 6,7 kg
Order No. **01278/round**

Speaker Pole, Light




adjustable, K&M,
incl. M20 Adapter
Order No. **03004/set**

Bag




for 2 x TS Nano / A 1, padded
with pocket for accessories
Order No. **01249**

Flight Case Trunk



for 4 pcs. TS Nano / A 1,
with flying bracket, standard, 7 mm
birch multiplex, PVC coated, hinged lid,
2 x recessed sprung handles,
2 x butterfly catches, rubber feet,
partition walls, interior lined with felt.
Order No. **16005**

Flight Case Trunk



for 2 pcs. TS Nano / A 1,
with flying bracket and flange,
standard, 7 mm birch multiplex,
PVC coated, hinged lid, 2 x recessed
sprung handles, 2 x butterfly catches,
rubber feet, partition walls, interior
lined with felt.
Order No. **16006**



Flightcase, 4 x TS Nano